

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21 2	2	(command near2 unit) same network same bus same command same address same memory same pointer same ((input near2 register) buffer stack queue (input near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:51
S21 3	4	((command near2 unit) switch router) same network same bus same command same address same memory same pointer same ((input near2 register) buffer stack queue (input near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:51
S21 4	4	((command near2 unit) switch router) same network same bus same command same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:51
S21 5	4	((command near2 unit) switch router) same network same command same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:04
S21 6	4	((command near2 (unit interpreter)) switch router) same network same command same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:21
S21 7	4	((command near2 (unit interpreter)) switch router) same network same (command instructuion) same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:52

EAST Search History

S21 8	5	((command near2 (unit interpreter)) switch router) same network same (command instruction) same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:21
S21 9	5	((command near2 (unit interpreter)) switch router) same network same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:21
S22 0	5	((command near2 (unit interpreter decoder translator decipherer)) switch router) same network same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:22
S22 1	1	S219 not S217	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:52
S22 3	24	((command near2 (unit interpreter decoder translator decipherer)) switch router) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:53

EAST Search History

S22 4	141	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:53
S22 5	43	(subscriber switch router nic (network near interface near card) driver) same ((control\$3 command\$) near2 (unit interface)) same applications same memory same address same pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:53
S22 6	40	S225 not S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:53
S22 7	54	((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card) driver) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S22 8	74	((command\$2 control\$2) near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card) driver) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54

EAST Search History

S229	20	S228 not S227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S230	14	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications same bus same writ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S231	24	((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card)) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S232	30	S227 not S231	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S233	1	multi near2 master near2 system near2 command near2 (unit interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:54
S234	126	ip near2 switch same ((control\$3 command\$) near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:55

EAST Search History

S23 5	29	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications same bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:56
S23 6	112	S224 not S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:56
S23 7	15	S235 not S230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:56
S23 8	24	((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card)) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:57
S24 0	9	ip near2 switch same operating near2 system same ((control\$3 command\$) near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:58
S24 1	7	ip near2 switch same ((control\$3 command\$) near2 (unit interface)) same memory same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:58

EAST Search History

S24 2	560	(719/310).ccls.	USPAT	OR	OFF	2007/11/16 08:59
S24 3	2	ip near2 switch near2 operating near2 system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:59
S24 4	1	ip near2 switch same ((control\$3 command\$) near2 (unit interface)) same schedul\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:00
S24 5	11	plurality same applications same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/11/16 09:00
S24 6	1	(plurality near2 applications) same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/11/16 09:00
S24 7	10	("5027271" "5113522" "5408661" "5483647" "5517622").PN. OR ("5764894").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:00
S24 8	2	(plurality near2 applications) same (data near2 network) same (data near2 bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 09:00
S24 9	9	(plurality near2 applications) same network same bus same data	USPAT	OR	OFF	2007/11/16 09:01
S25 0	20	(plurality near2 applications) same network same bus same data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 09:01
S25 1	7	writ\$3 same pointer near4 address same memory same register same input same output same acknowledge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 09:01

EAST Search History

S25 2	1	writ\$3 same (pointer near4 address) same memory same (input near2 (buffer queue stack register)) same (output near2 (buffer queue stack register)) same acknowledg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 09:01
S25 3	0	(access\$ retriev\$) same (command near unit) same network same arbitrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:01
S25 4	17	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 09:02
S25 5	2	commands same transfer\$3 same (command near unit) same indirectly with (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:02
S25 6	18	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:02
S25 7	2	(access\$ retriev\$) same (command near unit) same network same memory same pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:03
S25 8	41	(access\$ retriev\$) same (command near unit) same network same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:03

EAST Search History

S25 9	39	S258 not S257	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:03
S26 0	1	commands same transfer\$3 same (command near unit) same indirectly near2 (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:03
S26 1	10	commands near2 transfer\$3 near2 (command near unit) same (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:04
S26 2	33	commands near2 transfer\$3 same (command near unit) same (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:04
S26 3	23	S262 not S261	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:04
S26 4	16	arbitration near bus near arbitrator same (field bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:04
S26 5	9	(avoid\$ same interrupt same delay same pointer same register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:05

EAST Search History

S26 6	1	((zero near2 copy) rdma) same (bus near4 arbitrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:05
S26 7	0	((zero near2 copy) rdma) same (bus near2 arbitrator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:05
S26 8	0	((zero near2 copy) rdma) same arbitration near2 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:05
S26 9	34	((zero near2 copy) rdma) same arbitrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:05
S27 0	9	(access\$3 retriev\$ transfer\$3) near2 command near2 (subscriber node switch router hub server) same memory near2 (bit field indicator identifier address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:06
S27 1	9	(application same address same space same pointer same command).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:06
S27 2	48	(application same address same space same pointer).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:06

EAST Search History

S27 3	0	coordinat\$3 near2 applications same (register same command same (indicator address identifier field) same node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 09:07
S27 4	213	(710/28).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:07
S27 5	649	(710/113).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 14:02
S27 6	22	S275 and (address same pointer same register)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:07
S27 7	0	S275 and (address same pointer same register).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:07
S27 8	279	(710/241).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:07
S27 9	2	(applications same node same (data near bus)).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:08
S28 0	2	(plurality of applications) with subscriber same (data near bus) near2 access\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:08
S28 1	261	(370/362).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:08
S28 2	1	(plurality of applications) near2 access\$ near2 subscriber near2 (data near bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:09
S28 3	1	(plurality of applications) near2 access\$ near2 (node pc subscriber switch) near2 (data near bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:09
S28 4	1	(plurality of applications) near2 access\$ near3 (node pc subscriber switch) near2 (data near bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:09
S28 5	1	(plurality of applications) near2 access\$ near4 (node pc subscriber switch) near2 (data near bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:09
S28 7	8	(plurality of applications) near2 access\$ near4 (node pc subscriber switch) near4 (bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:10

EAST Search History

S28 9	1	(plurality near2 applications) near2 access\$ near4 (node pc subscriber switch) near4 (bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:10
S29 2	1	(plurality near2 applications) near2 access\$ near2 subscriber	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:11
S29 3	1	(plurality near2 applications) near2 access\$ near2 bus near4 subscriber	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:11
S29 4	1	(plurality near2 applications) near2 access\$ near2 bus near4 (server node pc switch subscriber computer system)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 09:11
S29 5	1	(plurality near2 applications) near2 access\$ near2 bus near4 (server node pc switch subscriber computer system)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/16 09:12
S29 7	4	((command near2 (unit interpreter)) switch router) same network same (command instructuion) same address same memory same pointer same ((input near2 register) register buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:05
S29 9	24	((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card)) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:18
S30 1	41	(access\$ retriev\$) same (command near unit) same network same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:30
S30 2	1	(plurality of applications) near2 access\$ near4 (node pc subscriber switch) near4 (data near bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 14:04
S30 3	1	(plurality near2 applications) near2 access\$ near4 (server node pc subscriber switch) near4 (bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 14:04

EAST Search History

S30 4	1	(plurality near2 applications) near2 access\$ near2 bus near2 subscriber	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 14:05
S30 5	12	(plurality of applications) near2 access\$ near4 (server node pc subscriber switch) near4 (bus)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/16 14:05

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	pointer same acknowldg\$3 near field	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/11/19 13:55
L2	3	status same command same pointer same input near register	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/11/19 14:08
L3	1	acknowledg\$5 same command same pointer same input near register	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/11/19 14:14
L4	12	pointer with input near register and (command same acknowledg\$5)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/11/19 14:17
L5	3	pointer with input near register and ((command instruction) same acknowledg\$5 near (field bit))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/11/19 14:27